



Kinderspital Zürich, Pränatale Beratung und fötale Chirurgie, Steinwiesstrasse 75, 8032 Zürich

To whom it may concern

Zurich, December 14, 2015 / casba

KOZLOVA Oxana Sergeevna, born 24.11.1982
Novoalekseevskaya st 18, 1 flat 15, Moscow, Russia

Below please find the standard treatment regimen for in utero repair of spina bifida. Please be aware that depending on the course, particularly the postoperative evolution, changes may occur. Yet the below description has proven pretty accurate for a vast majority of our cases.

1. First, Mrs. Oxana Kozlova will come to Zurich for several outpatient consultations. The patient will be seen by Prof. N. Ochsenein at the Department of Obstetrics of the University Hospital Zurich for diagnostic workup including history, physical exam, blood sampling, swabs, ultrasound and amniocentesis.
2. Then a fetal-maternal MRI will be performed at the University Children's Hospital Zurich. Thereafter, the patient will be seen for a three hour prenatal counselling detailing all relevant aspects of the planned prenatal repair, postoperative treatment, and, finally Caesarean-section near term.
3. The patient will be hospitalized at the Department of Obstetrics of the University Hospital Zurich. After standard pre-operative preparation, fetal surgery will be performed. Thereafter, the patient must stay at the hospital for at least 4 weeks for intravenous tocolysis, fetal-maternal monitoring, and a fetal maternal MRI to be performed approximately 4 weeks after the operation.
4. After this time point, the patient must stay at the hospital, if an ongoing intravenous tocolysis and bed rest are mandatory. If this is not the case, then the mother can be discharged from the hospital to stay in a rented low cost flat nearby the hospital. Of course, she will then must have outpatient consultations including ultrasound once a week.



5. With ongoing favourable evolution, the patient will be re-hospitalized in week 34 for monitoring, eventual tocolysis, and caesarean-section that will either take place in week 37, or, in case of premature rupture of membranes / premature labour shortly after these conditions have been identified. The likelihood of membrane rupture and/or premature labour after week 34 is quite high (about 50%). Thus, hospitalization of the patient at 34 weeks is mandatory.
6. After C-Section, the mother will be hospitalized for approx. 1 week and then be discharged from the hospital.
7. After the baby is born, it must be hospitalized at the University Children's Hospital Zurich, Division of Neonatology, for an extensive standard base-line diagnostic workup including physical exam, blood tests, ultrasound, postnatal MRI, neurosurgical, orthopaedic, neurological and rehabilitation consults as well as a bladder manometry and a rectal manometry. Furthermore, in those instances where during fetal repair, primary skin closure was not possible and therefore implantation of Integra artificial skin was required, the baby must undergo an operation to achieve definitive skin closure post birth. This is usually performed on the first or second day of life and in these situations, a reversed latissimus dorsi flap to strengthen the repair site is often also performed during that same operation. Taken together, the baby is hospitalized between two and about four weeks post birth for the above diagnostic and therapeutic regimen.

Again, the above is a summarizing description of what is the standard procedure in most of our cases.

Cost estimate regarding treatment of Oxana Kozlova

Outpatient counseling before operation:	approx.	EUR 1'400.00 – 1'900.00
Inpatient treatment pre-natal:	approx.	EUR 24'000.00 – 29'000.00
Re-hospitalization and C-section:	approx.	EUR 11'600.00 – 14'500.00

Cost estimate regarding treatment of the unborn baby

Inpatient treatment (baby care):	approx.	EUR 14'500.00 – 24'000.00
----------------------------------	---------	---------------------------

Cost estimate, total	approx.	EUR 53'000.00 – 72'000.00
-----------------------------	----------------	----------------------------------


Inpatient treatment:

Length of stay mother:	<i>5 weeks after operation + 3 weeks before c-section in case of favorable course.</i>
Length of stay baby:	<i>2 to 4 weeks after birth in case of favorable course.</i>
Other blood tests / scans:	<i>all included in flat rate.</i>
Ongoing drugs required:	<i>all included in flat rate.</i>

Please note these costs are calculated on the basis of our Swiss DRG-System (Diagnosis-Related-Groups). This DRG-System produces a cost weight for an individual condition and the cost weight is then multiplied by the hospital specific base rate and this finally produces total costs.

Should you have any problems or questions with the above matters, please do not hesitate to contact me directly at +41 44 266 80 23 or +41 44 266 74 02 or martin.meuli@kispi.uzh.ch

Sincerely yours



Prof. Martin Meuli, MD
Surgeon-in-Chief
Chairman Department of Pediatric Surgery
University Children's Hospital Zurich
Co-Director Center for Fetal Diagnosis and Therapy University of Zurich Medical School
Full Professor of Pediatric Surgery, University of Zurich Medical School.

Prof. Martin Meuli, MD
Surgeon-in-Chief
Department of Surgery
University Children's Hospital
Steinwiesstr. 75
CH-8032 Zurich, Switzerland